



# Technická inšpekcia, a.s.

Trnavská cesta 56, 821 01 Bratislava, Slovenská republika

## ACKNOWLEDGEMENT OF RECEIPT

no. 07803/1/2024-POP-01

Technická inšpekcia, a. s.,  
Trnavská cesta 56, 821 01 Bratislava  
Notified body: 1354,

**confirms, that Technical File Documentation**

prepared by

**Rotex Manufacturers & Engineers Pvt Ltd**  
R-852/853, TTC Industrial Area, MIDC, Rabale, Navi Mumbai, 400701, INDIA

has been received and stored according to the Article 13.1(b) (ii) of Directive no. 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres

Scope of Ex Equipment:

**Heavy Duty Actuator DRS (Single Acting & Double Acting)**

Type:

**See Annex 1**

Marking:  II 2 GD Ex h IIC T6 Gb  
Ex h IIC T85°C Db

\* for Ambient Temperature Range NBR  $-20^{\circ}\text{C} \leq T_{\text{amb}} \leq +80^{\circ}\text{C}$ ,  
AV (VITON)  $-20^{\circ}\text{C} \leq T_{\text{amb}} \leq +125^{\circ}\text{C}$ ,  
EP (EPDM)  $-30^{\circ}\text{C} \leq T_{\text{amb}} \leq +110^{\circ}\text{C}$ ,  
FS (FLOURO SILICON)  $-60^{\circ}\text{C} \leq T_{\text{amb}} \leq +110^{\circ}\text{C}$

Technical File Documentation according to the Annex VIII Article 2 of Directive 2014/34/EU

| Documentation: | Issue:                                        |
|----------------|-----------------------------------------------|
| RMEPL/ATD-01   | Issue 01, Rev:00<br>Date of issue: 28/03/2024 |

Technical documentation will be stored for 10 years until May 2<sup>nd</sup>, 2034.

Bratislava, May 2<sup>nd</sup>, 2024

On behalf of Technická inšpekcia, a.s.

PDOKA3-413



Ing. Jozef Kamzík  
Director of Regional office Bratislava



A 020106

**Annex 1 to the acknowledgement of receipt no. 07803/1/2024-POP-01:**

| Type          | Internal diameter (mm) |
|---------------|------------------------|
| DRSAA         | 63 to 500              |
| DRSA          | 63 to 500              |
| DRS B- E      | 63 to 1300             |
| DRS G         | 63 to 1300             |
| DRS H         | 63 to 1300             |
| DRS J         | 63 to 1300             |
| DRS M         | 63 to 1300             |
| CC 32...1300  | 32 to 1300             |
| DRSAA         | 63 to 400              |
| DRSA          | 63 to 400              |
| DRS B- E      | 63 to 800              |
| DRS G         | 63 to 800              |
| DRS H         | 63 to 800              |
| DRS J         | 63 to 800              |
| DRS M         | 63 to 800              |
| 75 C0...5     | 32 to 120              |
| 230 C0...5    | 32 to 120              |
| 400 C0...5    | 32 to 120              |
| 1245 C0...5   | 32 to 120              |
| 2000 C0...5   | 32 to 120              |
| CCHY 32...800 | 32 to 800              |



On behalf of Technická inšpekcia, a.s.

Ing. Jozef Kamzík  
Director of Regional Office Bratislava