मानकः पथप्रदर्शकः

सत्यमेव जयते

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय
भारत सरकार
Ministry of Consumer Affairs, Food & Public Distribution
Government of India

Our Ref :MUBO-II/CM/L 7800090717 Dated : 21 October 2021

Subject: Grant of BIS Certification Marks Licence No 7800090717 as per IS/IEC 60079: PART 1:2014.

**M/s. Rotex Manufacturers and Engineers Private Limited**
R852/853, TTC Industrial Area, Rabale,
MIDC, Navi Mumbai, THANE,
MAHARASHTRA, 400701

Dear Sir/Madam,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

**Product: Explosive Atmospheres - Part 1: Equipment Protection by Flameproof Enclosures.**

**IS NO: IS/IEC 60079: PART 1:2014.**

**Type/Size/Grade/Variety covered under Licence :**

**i) Flameproof Enclosure, Details of Test Report : Test Report No. KLPL/Ex/RCP-21/002 dated 19 Aug 2021.**

2. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

3. The number assigned to this licence is CM/L- 7800090717 which has been made operative from 13/10/2021 and is valid upto 12/10/2022. The licence number should invariably be referred to in your future correspondence.

4. According to sub-regulation (1) & (3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000/- and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS (Conformity assessment) Regulation 2018 is payable by you with effect from 13/10/2021 for the period of validity of the licence in advance.

5.Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark.**Our Receipt No. AA78PC2021000537 dated 16/09/2021** for the licence fee and the minimum marking fee for the first operative period is already sent separately.

6. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

7. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

8. The Scheme of Testing and Inspection submitted by you and agreed by BIS or the Scheme of Testing and Inspection as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

9. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

10. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

11. This licence is granted for your factory situated at R852/853, TTC Industrial Area, Rabale MIDC, Navi Mumbai, THANE, MAHARASHTRA- 400701. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

12. It may be noted that this licence is granted subject to the condition that if sample drawn on **12/10/2021** by BIS during the verification visit before grant of licence fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under Stop Marking, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

Thanking You,

Yours faithfully,

(Sanjay Vij)
Scientist 'E' & Head (MUBO-II)

**For any other communication**

| | |
|---|---|
| **Address:** | Mumbai Branch Office-II-Manakalaya, E9 MIDC, Andheri East,Mumbai,400093, Mumbai, MUMBAI CITY,MAHARASHTRA,400093 |
| **Phone:** | 022-28329295, 28327892 |
| **Fax:** | 02228264352 |
| **E-Mail:** | mubo2@bis.gov.in |
| **Web:** | www.bis.org.in, www.manakonline.in |


# BUREAU OF INDIAN STANDARDS

**Attachment to Licence No. CM/L- 7800090717**

| CM/L-No | Name of the Licensee with the Factory Address | Name of the Product | Indian Standard No. |
|---|---|---|---|
| 7800090717 | Rotex Manufacturers and Engineers Private Limited - R852/853, TTC Industrial Area, Rabale MIDC, , Rabale, Navi Mumbai , Rabale Navi Mumbai : 400701 | Explosive Atmospheres - Part 1 : Equipment Protection by Flameproof Enclosures "d" | IS/IEC 60079 : PART 1 : 2014 |

**Endorsement No. 1 Dated 28-Sep-2022**

Whereas, the licence was valid upto Thirteenth October Two Thousand Twenty Two.

Now, consequent upon renewal, the validity of the licence given in schedule of has been extended from Thirteenth October Two Thousand Twenty Two to Twelfth October Two Thousand Twenty Seven

Other terms and conditions of licence remain same.

Branch Head (Mumbai Branch Office-II)

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

WESTERN REGIONAL OFFICE
MUBO - II

Address : Manakalaya, E9 MIDC, Andheri East
Mumbai
400093

Phones : 022-28329295, 28327892

Fax : 022-28264352
E-mail : mubo2@bis.gov.in
Web : http://www.bis.org.in

## ATTACHMENT TO LICENCE NO. CM/L- 7800090717

| CML NO | NAME OF THE LICENSEE WITH ADDRESS | PRODUCT | IS NO |
|---|---|---|---|
| 7800090717 | **Rotex Manufacturers and Engineers Private Limited** R852/853, Ttc Industrial Area, Rabale Midc,,Rabale, Navi Mumbai,Rabale Navi Mumbai,400701 , Maharashtra | Explosive Atmospheres - Part 1 : Equipment Protection by Flameproof Enclosures "d" | IS/IEC 60079 : PART 1:2014 |

**ENDORSEMENT NO. 1 Dated** 27/02/2023

Whereas, the licence was valid upto **Twelfth October Two Thousand and Twenty Two.**

Now, consequent upon renewal, the validity of the licence given in schedule of Original Endorsement has been extended from **Thirteenth October Two Thousand and Twenty Two to Twelfth October Two Thousand and Twenty Seven.**

Other terms and conditions of Licence remain the same.

**(SANJAY VIJ)**
**Scientist F/Senior Director & Head**